

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Abb. 1: schematische Darstellung des Versuchsaufbaus




Fig. 1: Diagrammatic view of the experimental set-up

[Key:]

Stromversorgung = power supply

Pulsgenerator = pulse generator

Digitaloszilloskop = digital oscilloscope

Verstärker = amplifier




Fig. 2: Relaxation of distilled water




Fig. 3: Relaxation of sample 10^{-6} mol of Fe/l




Fig. 4: Relaxation of sample 10^{-5} mol of Fe/l




Fig. 5 Increase of relaxation time after 400 ng of biotin-BSA is added

[Key:]

norm biref = biref standard

nur sonde 10:56:08 = only sample 10:56:08

zugabe 400 ng biotin bsa 11:00:39 später 11:01:39 = addition of 400 ng of biotin bsa 11:00:39, later 11:01:39

noch später 11:02:39 = still later 11:02:39

viel später 11:03:39 = much later 11:03:39

am schluß 12:23:46 = at the end 12:23:46




Fig. 6 Unchanged relaxation time of a sample that is blocked with free biotin after 400 ng of biotin-BSA is added

[Key:]

norm biref = biref standard

nur sonde 12:42:07 = only sample 12:42:07

zugabe 5 μ l freies biotin 12:45:50 = addition of 5 μ l of free biotin 12:45:50

zugabe 400 ng biotin-bsa 12:53:52 = addition of 400 ng of biotin-bsa 12:53:52

später 12:59:49 = later 12:59:49

noch später 14:55:36 = still later 14:55:36